



AVIKO B.V.
Dr. A. Ariënsstraat 28
7221 CD Steenderen-Nederland
+31 (0)575-458 200

Postbus 8
7220 AA Steenderen-Nederland

General Information

SAP Code	808998
Product Description	Aviko Beer Battered Onionrings 6x1000g
Brand	Aviko
Custom Tariff Code	1905908000
GTIN Consumer Unit 1	8710449915248
GTIN Carton	8710449955251
UPC 12 Carton	
Shell life in days after production	730
Remaining Shell Life in days at time of loading	304
Coding	Lotcode, expiry date, packaging content/weight, product description

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard: 2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

1 /15

Semi Finished

833261



Process description	This product is made of whole onion rings, which are battered, prefried in vegetable oil, quick frozen and packed.
Product description	Crispy beer battered onion rings, pre-fried, quick-frozen.

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

2 /15

Ingredient Declaration

Ingredients: onion (35%), water, breadcrumbs (WHEAT flour, salt, yeast), WHEAT flour, palm oil, corn flour, beer (water, BARLEY malt, hops, hop extract) (1%), sugar, modified WHEAT starch, modified potato starch, salt, flavouring (maltodextrin, flavouring, thickener (E414)), WHEAT starch, dextrose, thickener (E412), raising agent (E450, E500).

Allergens in accordance with regulation (EU) 1169/2011

Allergens in accordance with regulation (EU) 1169/2011	Food Claim
Allergens	
Cereals containing gluten	contains
- Wheat	contains
- Barley	contains
Crustaceans and products thereof	none

Allergens in accordance with regulation (EU) 1169/2011	Food Claim
Eggs and products thereof	none
Fish and products thereof	none
Peanuts and products thereof	none
Soybeans and products thereof	none
Milk and products thereof	none
Nuts and products thereof	none
Celery and products thereof	none
Mustard and products thereof	none
Sesame seeds and products thereof	none
Sulphur dioxide and sulphites >10 ppm	none
Lupine and products thereof	none

Allergens in accordance with regulation (EU) 1169/2011	Food Claim
Mollucs and products thereof	none

Nutritional data			
Food Nutrient	UOM	Per 100g	%RI
Nutritional Energy			
Energy	kJ	961	
Energy	kcal	229	11%
Nutritional data			
Fat total	g	10	14%
- Fat of which saturated	g	4.4	22%
Carbohydrates available	g	29	11%

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

5 /15

Food Nutrient	UOM	Per 100g	%RI
Nutritional data			
- Carbohydrates of which sugars	g	3.8	4%
Protein total	g	4	8%
Dietary fibre	g	1.7	
Salt	g	0.97	16%

Food Claim

Food Claim	This product is Halal certified by	Image	Comment
Claims			
Vegan			
Ovo-lacto vegetarian			

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

6 /15

Quality Parameters Physical

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Physical properties					
Breakage <1/2 ring	%		0	5	
Clumps 2 pieces	n/kg		0	6	
Weight per piece	G	17.6	20.6	23.6	
Breakage >1/2 ring	%		0	2	
Breakage	% w/w			5	
Clumps 3 pieces	n/kg		0	2	
Number per kg	n/kg	43	48	53	

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

7 /15

Microbiological Properties

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Microbiological properties					
Staphylococcus Aureus co+ end of shelflife	cfu/g			100	
Aerobic plate count end of shelflife	cfu/g			1,000,000	

Sensorical Properties

Spec Section Item Description	UOM	Value	Comment
USDA Colour			
Colour unprepared	USDA	Max. 1	Golden yellow

Spec Section Item Description	UOM	Value	Comment
USDA-colour card, Munsell Colour Company. (treatment according DPPA-standard: frying 500g of product 3 min. at 180°C in a calibrated fryer with 10 litres of oil)			
Colour prepared	USDA	Max. 3	Golden brown

Storage and Transport Conditions

Spec Item	Value	UOM
Delivery temperature	Max. -18	°C
Storage temperature	Max. -18	°C

Packaging Details

Level	Material Type	Material Type (Subtypes)	Packshot	Thickness (μ)	Composition	Tare weight (g)	Dimension (mm)
Primary	Artwork	artwork for foil				0	50x300x360
		pillow		50	LD-PE	10.476	
Secondary	Corrugated cardboard	regular slotted box			cardboard	0	396x261x255

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

10/15

Level	Material Type	Material Type (Subtypes)	Packshot	Thickness (μ)	Composition	Tare weight (g)	Dimension (mm)
Tertiary	Pallet/crate	pallet			wood	0	1200x800x163

Palletization

Spec Item	Value	UOM
Palletization		
Units per layer	9	pcs

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

11/15

Spec Item	Value	UOM
Layers per pallet	7	pcs
Units per pallet	63	pcs
Calculated pallet height	1.94	m
Pallet type	Euro Chep	
Pallet size	1.2 x 0.8	m

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

12/15

Consumer Information

Oven: 220°C, 10-12 min.

Combisteamer: Convection 220°C, 10-12 min.

Fryer: Max. 175°C, portion approx. 250g, 1-2 min.

Legal & other Requirements

Disclaimer other products	
	This specification is based on the moving average, with the help of methods of analysis from Aviko laboratories.
Pesticides statement	
	Aviko declares that pesticides residues in products supplied by Aviko are according to regulation (EU) 396/2005 and its amendment regulation (EU)310/2011.
Heavy metals statement	

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

13/15

	Aviko declares that all supplied products are conform to the EU-legislation and that they do not exceed the heavy metal tolerances defined by the EU.
Sampling	
	In case of arbitration a lot is judged by taking a lot sample, per packaging. Normally, max. one lot sample is taken per two pallets. One lot consists of several pallets of at least 2 different shift dates. The lot samples are being mixed to one compilation sample. From this compilation sample a sample of 1 kg is taken to judge the quality.
Quality Management Systems	
	The production location where this article is being produced, has a quality management system that is certified to a GFSI recognised scheme. In case of a BRC certification at least B grade is required, for an IFS certification at least Foundation Level.
Statement of contaminants	
	Aviko declares that all products produced and supplied by Aviko comply with regulation (EU) 2023/915, setting maximum levels for certain unwanted components.
GMO Statement	

	Hereby Aviko declares that none of our products, produced, packed, delivered and sold are genetically modified. None of the ingredients contain any genetically modified organism. No biotechnology or processing agents produced by means of gentechnology have been used during production. The product complies with the European non-GMO regulation (EG) nr. 1829/2003 and 1830/2003.
Weight registration e-symbol	
	Aviko's standard procedure for packing of products/units is based upon average weight (e-symbol). For specific countries with relevant legislation, the procedure for packed products/units is based upon nominal weight.

Signature

General Quality Manager Aviko Group	
	L.C. (Linda) Jespers

REC: 2 / FLDS: 5 / PAC: 2

Date Of Standard:2024-09-02 01:24:49.49

2024-09-02

© AVIKO - Productspecification
Issued By Corporate Quality Department Aviko

15/15